

Palladium on Central

Daily Usage Report

Charles Baker
Unit 1003
Account ACT-HMPA-AX33

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	09/07/2026	298,014	43		
1003	Water	Good	09/06/2026	297,971	44		
1003	Water	Good	09/05/2026	297,927	53		
1003	Water	Good	09/04/2026	297,874	42		
1003	Water	Good	09/03/2026	297,832	80		
1003	Water	Good	09/02/2026	297,752	43		
1003	Water	Good	09/01/2026	297,709	68		
1003	Water	Good	08/31/2026	297,641	107		
1003	Water	Good	08/30/2026	297,534	121		
1003	Water	Good	08/29/2026	297,413	148		
1003	Water	Good	08/28/2026	297,265	108		
1003	Water	Good	08/27/2026	297,157	100		
1003	Water	Good	08/26/2026	297,057	104		
1003	Water	Good	08/25/2026	296,953	150		
1003	Water	Good	08/24/2026	296,803	104		
1003	Water	Good	08/23/2026	296,699	107		
1003	Water	Good	08/22/2026	296,592	137		
1003	Water	Good	08/21/2026	296,455	133		
1003	Water	Good	08/20/2026	296,322	111		
1003	Water	Good	08/19/2026	296,211	119		
1003	Water	Good	08/18/2026	296,092	65		
1003	Water	Good	08/17/2026	296,027	53		
1003	Water	Good	08/16/2026	295,974	77		
1003	Water	Good	08/15/2026	295,897	80		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	08/14/2026	295,817	120		
1003	Water	Good	08/13/2026	295,697	146		
1003	Water	Good	08/12/2026	295,551	58		
1003	Water	Good	08/11/2026	295,493	120		
1003	Water	Good	08/10/2026	295,373	129		
1003	Water	Good	08/09/2026	295,244	86		
1003	Water	Good	08/08/2026	295,158	68		
1003	Water	Good	08/07/2026	295,090	143		
1003	Water	Good	08/06/2026	294,947	140		
1003	Water	Good	08/05/2026	294,807	135		
1003	Water	Good	08/04/2026	294,672	105		
1003	Water	Good	08/03/2026	294,567	54		
1003	Water	Good	08/02/2026	294,513	55		
1003	Water	Good	08/01/2026	294,458	104		
1003	Water	Good	07/31/2026	294,354	80		
1003	Water	Good	07/30/2026	294,274	103		
1003	Water	Good	07/29/2026	294,171	129		
1003	Water	Good	07/28/2026	294,042	46		
1003	Water	Good	07/27/2026	293,996	45		
1003	Water	Good	07/26/2026	293,951	104		
1003	Water	Good	07/25/2026	293,847	43		
1003	Water	Good	07/24/2026	293,804	37		
1003	Water	Good	07/23/2026	293,767	26		
1003	Water	Good	07/22/2026	293,741	37		
1003	Water	Good	07/21/2026	293,704	51		
1003	Water	Good	07/20/2026	293,653	37		
1003	Water	Good	07/19/2026	293,616	463		
1003	Water	Good	07/18/2026	293,153	845	High usage	
1003	Water	Good	07/17/2026	292,308	922	High usage	
1003	Water	Good	07/16/2026	291,386	955	High usage	

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	07/15/2026	290,431	882	High usage	
1003	Water	Good	07/14/2026	289,549	265		
1003	Water	Good	07/13/2026	289,284	75		
1003	Water	Good	07/12/2026	289,209	60		
1003	Water	Good	07/11/2026	289,149	74		
1003	Water	Good	07/10/2026	289,075	64		
1003	Water	Good	07/09/2026	289,011	67		
1003	Water	Good	07/08/2026	288,944	66		
1003	Water	Good	07/07/2026	288,878	31		
1003	Water	Good	07/06/2026	288,847	41		
1003	Water	Good	07/05/2026	288,806	38		
1003	Water	Good	07/04/2026	288,768	35		
1003	Water	Good	07/03/2026	288,733	43		
1003	Water	Good	07/02/2026	288,690	35		
1003	Water	Good	07/01/2026	288,655	41		
1003	Water	Good	06/30/2026	288,614	55		
1003	Water	Good	06/29/2026	288,559	65		
1003	Water	Good	06/28/2026	288,494	49		
1003	Water	Good	06/27/2026	288,445	39		
1003	Water	Good	06/26/2026	288,406	42		
1003	Water	Good	06/25/2026	288,364	73		
1003	Water	Good	06/24/2026	288,291	34		
1003	Water	Good	06/23/2026	288,257	73		
1003	Water	Good	06/22/2026	288,184	31		
1003	Water	Good	06/21/2026	288,153	30		
1003	Water	Good	06/20/2026	288,123	53		
1003	Water	Good	06/19/2026	288,070	39		
1003	Water	Good	06/18/2026	288,031	80		
1003	Water	Good	06/17/2026	287,951	77		
1003	Water	Good	06/16/2026	287,874	87		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	06/15/2026	287,787	62		
1003	Water	Good	06/14/2026	287,725	60		
1003	Water	Good	06/13/2026	287,665	73		
1003	Water	Good	06/12/2026	287,592	76		
1003	Water	Good	06/11/2026	287,516	72		
1003	Water	Good	06/10/2026	287,444	396		
1003	Water	Good	06/09/2026	287,048	1,256	High usage	
1003	Water	Good	06/08/2026	285,792	1,101	High usage	
1003	Water	Good	06/07/2026	284,691	924	High usage	
1003	Water	Good	06/06/2026	283,767	862	High usage	
1003	Water	Good	06/05/2026	282,905	480		
1003	Water	Good	06/04/2026	282,425	66		
1003	Water	Good	06/03/2026	282,359	74		
1003	Water	Good	06/02/2026	282,285	65		
1003	Water	Good	06/01/2026	282,220	71		
1003	Water	Good	05/31/2026	282,149	44		
1003	Water	Good	05/30/2026	282,105	28		
1003	Water	Good	05/29/2026	282,077	54		
1003	Water	Good	05/28/2026	282,023	30		
1003	Water	Good	05/27/2026	281,993	23		
1003	Water	Good	05/26/2026	281,970	36		
1003	Water	Good	05/25/2026	281,934	57		
1003	Water	Good	05/24/2026	281,877	25		
1003	Water	Good	05/23/2026	281,852	25		
1003	Water	Good	05/22/2026	281,827	33		
1003	Water	Good	05/21/2026	281,794	48		
1003	Water	Good	05/20/2026	281,746	56		
1003	Water	Good	05/19/2026	281,690	55		
1003	Water	Good	05/18/2026	281,635	46		
1003	Water	Good	05/17/2026	281,589	44		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	05/16/2026	281,545	21		
1003	Water	Good	05/15/2026	281,524	47		
1003	Water	Good	05/14/2026	281,477	44		
1003	Water	Good	05/13/2026	281,433	45		
1003	Water	Good	05/12/2026	281,388	56		
1003	Water	Good	05/11/2026	281,332	41		
1003	Water	Good	05/10/2026	281,291	41		
1003	Water	Good	05/09/2026	281,250	38		
1003	Water	Good	05/08/2026	281,212	24		
1003	Water	Good	05/07/2026	281,188	42		
1003	Water	Good	05/06/2026	281,146	49		
1003	Water	Good	05/05/2026	281,097	44		
1003	Water	Good	05/04/2026	281,053	22		
1003	Water	Good	05/03/2026	281,031	41		
1003	Water	Good	05/02/2026	280,990	22		
1003	Water	Good	05/01/2026	280,968	57		
1003	Water	Good	04/30/2026	280,911	25		
1003	Water	Good	04/29/2026	280,886	45		
1003	Water	Good	04/28/2026	280,841	25		
1003	Water	Good	04/27/2026	280,816	59		
1003	Water	Good	04/26/2026	280,757	55		
1003	Water	Good	04/25/2026	280,702	64		
1003	Water	Good	04/24/2026	280,638	59		
1003	Water	Good	04/23/2026	280,579	26		
1003	Water	Good	04/22/2026	280,553	34		
1003	Water	Good	04/21/2026	280,519	41		
1003	Water	Good	04/20/2026	280,478	27		
1003	Water	Good	04/19/2026	280,451	62		
1003	Water	Good	04/18/2026	280,389	43		
1003	Water	Good	04/17/2026	280,346	46		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	04/16/2026	280,300	44		
1003	Water	Good	04/15/2026	280,256	39		
1003	Water	Good	04/14/2026	280,217	65		
1003	Water	Good	04/13/2026	280,152	55		
1003	Water	Good	04/12/2026	280,097	30		
1003	Water	Good	04/11/2026	280,067	36		
1003	Water	Good	04/10/2026	280,031	70		
1003	Water	Good	04/09/2026	279,961	51		
1003	Water	Good	04/08/2026	279,910	45		
1003	Water	Good	04/07/2026	279,865	57		
1003	Water	Good	04/06/2026	279,808	39		
1003	Water	Good	04/05/2026	279,769	59		
1003	Water	Good	04/04/2026	279,710	26		
1003	Water	Good	04/03/2026	279,684	59		
1003	Water	Good	04/02/2026	279,625	56		
1003	Water	Good	04/01/2026	279,569	35		
1003	Water	Good	03/31/2026	279,534	23		
1003	Water	Good	03/30/2026	279,511	59		
1003	Water	Good	03/29/2026	279,452	64		
1003	Water	Good	03/28/2026	279,388	26		
1003	Water	Good	03/27/2026	279,362	34		
1003	Water	Good	03/26/2026	279,328	42		
1003	Water	Good	03/25/2026	279,286	26		
1003	Water	Good	03/24/2026	279,260	62		
1003	Water	Good	03/23/2026	279,198	55		
1003	Water	Good	03/22/2026	279,143	64		
1003	Water	Good	03/21/2026	279,079	49		
1003	Water	Good	03/20/2026	279,030	36		
1003	Water	Good	03/19/2026	278,994	56		
1003	Water	Good	03/18/2026	278,938	26		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	03/17/2026	278,912	41		
1003	Water	Good	03/16/2026	278,871	38		
1003	Water	Good	03/15/2026	278,833	41		
1003	Water	Good	03/14/2026	278,792	49		
1003	Water	Good	03/13/2026	278,743	58		
1003	Water	Good	03/12/2026	278,685	63		
1003	Water	Good	03/11/2026	278,622	45		
1003	Water	Good	03/10/2026	278,577	54		
1003	Water	Good	03/09/2026	278,523	27		
1003	Water	Good	03/08/2026	278,496	28		
1003	Water	Good	03/07/2026	278,468	35		
1003	Water	Good	03/06/2026	278,433	66		
1003	Water	Good	03/05/2026	278,367	28		
1003	Water	Good	03/04/2026	278,339	51		
1003	Water	Good	03/03/2026	278,288	28		
1003	Water	Good	03/02/2026	278,260	53		
1003	Water	Good	03/01/2026	278,207	52		
1003	Water	Good	02/28/2026	278,155	41		
1003	Water	Good	02/27/2026	278,114	64		
1003	Water	Good	02/26/2026	278,050	65		
1003	Water	Good	02/25/2026	277,985	59		
1003	Water	Good	02/24/2026	277,926	60		
1003	Water	Good	02/23/2026	277,866	50		
1003	Water	Good	02/22/2026	277,816	41		
1003	Water	Good	02/21/2026	277,775	61		
1003	Water	Good	02/20/2026	277,714	33		
1003	Water	Good	02/19/2026	277,681	56		
1003	Water	Good	02/18/2026	277,625	43		
1003	Water	Good	02/17/2026	277,582	72		
1003	Water	Good	02/16/2026	277,510	59		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	02/15/2026	277,451	34		
1003	Water	Good	02/14/2026	277,417	62		
1003	Water	Good	02/13/2026	277,355	41		
1003	Water	Good	02/12/2026	277,314	58		
1003	Water	Good	02/11/2026	277,256	26		
1003	Water	Good	02/10/2026	277,230	61		
1003	Water	Good	02/09/2026	277,169	46		
1003	Water	Good	02/08/2026	277,123	64		
1003	Water	Good	02/07/2026	277,059	41		
1003	Water	Good	02/06/2026	277,018	49		
1003	Water	Good	02/05/2026	276,969	55		
1003	Water	Good	02/04/2026	276,914	50		
1003	Water	Good	02/03/2026	276,864	58		
1003	Water	Good	02/02/2026	276,806	36		
1003	Water	Good	02/01/2026	276,770	25		
1003	Water	Good	01/31/2026	276,745	42		
1003	Water	Good	01/30/2026	276,703	38		
1003	Water	Good	01/29/2026	276,665	44		
1003	Water	Good	01/28/2026	276,621	50		
1003	Water	Good	01/27/2026	276,571	53		
1003	Water	Good	01/26/2026	276,518	33		
1003	Water	Good	01/25/2026	276,485	22		
1003	Water	Good	01/24/2026	276,463	32		
1003	Water	Good	01/23/2026	276,431	44		
1003	Water	Good	01/22/2026	276,387	26		
1003	Water	Good	01/21/2026	276,361	44		
1003	Water	Good	01/20/2026	276,317	37		
1003	Water	Good	01/19/2026	276,280	52		
1003	Water	Good	01/18/2026	276,228	31		
1003	Water	Good	01/17/2026	276,197	28		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	01/16/2026	276,169	27		
1003	Water	Good	01/15/2026	276,142	39		
1003	Water	Good	01/14/2026	276,103	27		
1003	Water	Good	01/13/2026	276,076	46		
1003	Water	Good	01/12/2026	276,030	22		
1003	Water	Good	01/11/2026	276,008	27		
1003	Water	Good	01/10/2026	275,981	54		
1003	Water	Good	01/09/2026	275,927	42		
1003	Water	Good	01/08/2026	275,885	50		
1003	Water	Good	01/07/2026	275,835	36		
1003	Water	Good	01/06/2026	275,799	44		
1003	Water	Good	01/05/2026	275,755	51		
1003	Water	Good	01/04/2026	275,704	28		
1003	Water	Good	01/03/2026	275,676	54		
1003	Water	Good	01/02/2026	275,622	55		
1003	Water	Good	01/01/2026	275,567	36		
1003	Water	Good	12/31/2025	275,531	61		
1003	Water	Good	12/30/2025	275,470	64		
1003	Water	Good	12/29/2025	275,406	32		
1003	Water	Good	12/28/2025	275,374	75		
1003	Water	Good	12/27/2025	275,299	51		
1003	Water	Good	12/26/2025	275,248	31		
1003	Water	Good	12/25/2025	275,217	68		
1003	Water	Good	12/24/2025	275,149	45		
1003	Water	Good	12/23/2025	275,104	51		
1003	Water	Good	12/22/2025	275,053	49		
1003	Water	Good	12/21/2025	275,004	49		
1003	Water	Good	12/20/2025	274,955	54		
1003	Water	Good	12/19/2025	274,901	53		
1003	Water	Good	12/18/2025	274,848	53		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	12/17/2025	274,795	28		
1003	Water	Good	12/16/2025	274,767	49		
1003	Water	Good	12/15/2025	274,718	27		
1003	Water	Good	12/14/2025	274,691	72		
1003	Water	Good	12/13/2025	274,619	68		
1003	Water	Good	12/12/2025	274,551	47		
1003	Water	Good	12/11/2025	274,504	70		
1003	Water	Good	12/10/2025	274,434	31		
1003	Water	Good	12/09/2025	274,403	43		
1003	Water	Good	12/08/2025	274,360	72		
1003	Water	Good	12/07/2025	274,288	54		
1003	Water	Good	12/06/2025	274,234	68		
1003	Water	Good	12/05/2025	274,166	67		
1003	Water	Good	12/04/2025	274,099	49		
1003	Water	Good	12/03/2025	274,050	44		
1003	Water	Good	12/02/2025	274,006	53		
1003	Water	Good	12/01/2025	273,953	39		
1003	Water	Good	11/30/2025	273,914	41		
1003	Water	Good	11/29/2025	273,873	51		
1003	Water	Good	11/28/2025	273,822	32		
1003	Water	Good	11/27/2025	273,790	25		
1003	Water	Good	11/26/2025	273,765	34		
1003	Water	Good	11/25/2025	273,731	30		
1003	Water	Good	11/24/2025	273,701	46		
1003	Water	Good	11/23/2025	273,655	32		
1003	Water	Good	11/22/2025	273,623	49		
1003	Water	Good	11/21/2025	273,574	26		
1003	Water	Good	11/20/2025	273,548	19		
1003	Water	Good	11/19/2025	273,529	40		
1003	Water	Good	11/18/2025	273,489	49		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	11/17/2025	273,440	44		
1003	Water	Good	11/16/2025	273,396	31		
1003	Water	Good	11/15/2025	273,365	39		
1003	Water	Good	11/14/2025	273,326	19		
1003	Water	Good	11/13/2025	273,307	37		
1003	Water	Good	11/12/2025	273,270	32		
1003	Water	Good	11/11/2025	273,238	29		
1003	Water	Good	11/10/2025	273,209	51		
1003	Water	Good	11/09/2025	273,158	42		
1003	Water	Good	11/08/2025	273,116	34		
1003	Water	Good	11/07/2025	273,082	32		
1003	Water	Good	11/06/2025	273,050	47		
1003	Water	Good	11/05/2025	273,003	51		
1003	Water	Good	11/04/2025	272,952	26		
1003	Water	Good	11/03/2025	272,926	19		
1003	Water	Good	11/02/2025	272,907	19		
1003	Water	Good	11/01/2025	272,888	44		
1003	Water	Good	10/31/2025	272,844	2		
1003	Water	Good	10/30/2025	272,842	3		
1003	Water	Good	10/29/2025	272,839	2		
1003	Water	Good	10/28/2025	272,837	3		
1003	Water	Good	10/27/2025	272,834	2		
1003	Water	Good	10/26/2025	272,832	3		
1003	Water	Good	10/25/2025	272,829	1		
1003	Water	Good	10/24/2025	272,828	3		
1003	Water	Good	10/23/2025	272,825	1		
1003	Water	Good	10/22/2025	272,824	0	Zero	
1003	Water	Good	10/21/2025	272,824	3		
1003	Water	Good	10/20/2025	272,821	2		
1003	Water	Good	10/19/2025	272,819	3		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	10/18/2025	272,816	1		
1003	Water	Good	10/17/2025	272,815	1		
1003	Water	Good	10/16/2025	272,814	0	Zero	
1003	Water	Good	10/15/2025	272,814	1		
1003	Water	Good	10/14/2025	272,813	2		
1003	Water	Good	10/13/2025	272,811	1		
1003	Water	Good	10/12/2025	272,810	1		
1003	Water	Good	10/11/2025	272,809	2		
1003	Water	Good	10/10/2025	272,807	1		
1003	Water	Good	10/09/2025	272,806	3		
1003	Water	Good	10/08/2025	272,803	1		
1003	Water	Good	10/07/2025	272,802	72		
1003	Water	Good	10/06/2025	272,730	108		
1003	Water	Good	10/05/2025	272,622	112		
1003	Water	Good	10/04/2025	272,510	72		
1003	Water	Good	10/03/2025	272,438	88		
1003	Water	Good	10/02/2025	272,350	76		
1003	Water	Good	10/01/2025	272,274	121		
1003	Water	Good	09/30/2025	272,153	151		
1003	Water	Good	09/29/2025	272,002	71		
1003	Water	Good	09/28/2025	271,931	75		
1003	Water	Good	09/27/2025	271,856	76		
1003	Water	Good	09/26/2025	271,780	93		
1003	Water	Good	09/25/2025	271,687	120		
1003	Water	Good	09/24/2025	271,567	132		
1003	Water	Good	09/23/2025	271,435	76		
1003	Water	Good	09/22/2025	271,359	113		
1003	Water	Good	09/21/2025	271,246	83		
1003	Water	Good	09/20/2025	271,163	110		
1003	Water	Good	09/19/2025	271,053	144		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	09/18/2025	270,909	153		
1003	Water	Good	09/17/2025	270,756	118		
1003	Water	Good	09/16/2025	270,638	91		
1003	Water	Good	09/15/2025	270,547	78		
1003	Water	Good	09/14/2025	270,469	101		
1003	Water	Good	09/13/2025	270,368	78		
1003	Water	Good	09/12/2025	270,290	121		
1003	Water	Good	09/11/2025	270,169	118		
1003	Water	Good	09/10/2025	270,051	94		
1003	Water	Good	09/09/2025	269,957	90		
1003	Water	Good	09/08/2025	269,867	66		
1003	Water	Good	09/07/2025	269,801	118		
1003	Water	Good	09/06/2025	269,683	117		
1003	Water	Good	09/05/2025	269,566	143		
1003	Water	Good	09/04/2025	269,423	130		
1003	Water	Good	09/03/2025	269,293	76		
1003	Water	Good	09/02/2025	269,217	157		
1003	Water	Good	09/01/2025	269,060	86		
1003	Water	Good	08/31/2025	268,974	134		
1003	Water	Good	08/30/2025	268,840	92		
1003	Water	Good	08/29/2025	268,748	53		
1003	Water	Good	08/28/2025	268,695	66		
1003	Water	Good	08/27/2025	268,629	117		
1003	Water	Good	08/26/2025	268,512	52		
1003	Water	Good	08/25/2025	268,460	81		
1003	Water	Good	08/24/2025	268,379	127		
1003	Water	Good	08/23/2025	268,252	125		
1003	Water	Good	08/22/2025	268,127	52		
1003	Water	Good	08/21/2025	268,075	71		
1003	Water	Good	08/20/2025	268,004	84		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	08/19/2025	267,920	100		
1003	Water	Good	08/18/2025	267,820	140		
1003	Water	Good	08/17/2025	267,680	57		
1003	Water	Good	08/16/2025	267,623	65		
1003	Water	Good	08/15/2025	267,558	70		
1003	Water	Good	08/14/2025	267,488	70		
1003	Water	Good	08/13/2025	267,418	52		
1003	Water	Good	08/12/2025	267,366	100		
1003	Water	Good	08/11/2025	267,266	99		
1003	Water	Good	08/10/2025	267,167	134		
1003	Water	Good	08/09/2025	267,033	92		
1003	Water	Good	08/08/2025	266,941	104		
1003	Water	Good	08/07/2025	266,837	57		
1003	Water	Good	08/06/2025	266,780	105		
1003	Water	Good	08/05/2025	266,675	50		
1003	Water	Good	08/04/2025	266,625	59		
1003	Water	Good	08/03/2025	266,566	54		
1003	Water	Good	08/02/2025	266,512	57		
1003	Water	Good	08/01/2025	266,455	83		
1003	Water	Good	07/31/2025	266,372	150		
1003	Water	Good	07/30/2025	266,222	113		
1003	Water	Good	07/29/2025	266,109	150		
1003	Water	Good	07/28/2025	265,959	135		
1003	Water	Good	07/27/2025	265,824	109		
1003	Water	Good	07/26/2025	265,715	113		
1003	Water	Good	07/25/2025	265,602	63		
1003	Water	Good	07/24/2025	265,539	117		
1003	Water	Good	07/23/2025	265,422	91		
1003	Water	Good	07/22/2025	265,331	147		
1003	Water	Good	07/21/2025	265,184	142		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	07/20/2025	265,042	127		
1003	Water	Good	07/19/2025	264,915	110		
1003	Water	Good	07/18/2025	264,805	137		
1003	Water	Good	07/17/2025	264,668	159		
1003	Water	Good	07/16/2025	264,509	149		
1003	Water	Good	07/15/2025	264,360	92		
1003	Water	Good	07/14/2025	264,268	67		
1003	Water	Good	07/13/2025	264,201	97		
1003	Water	Good	07/12/2025	264,104	83		
1003	Water	Good	07/11/2025	264,021	102		
1003	Water	Good	07/10/2025	263,919	73		
1003	Water	Good	07/09/2025	263,846	72		
1003	Water	Good	07/08/2025	263,774	89		
1003	Water	Good	07/07/2025	263,685	62		
1003	Water	Good	07/06/2025	263,623	155		
1003	Water	Good	07/05/2025	263,468	100		
1003	Water	Good	07/04/2025	263,368	67		
1003	Water	Good	07/03/2025	263,301	73		
1003	Water	Good	07/02/2025	263,228	61		
1003	Water	Good	07/01/2025	263,167	63		
1003	Water	Good	06/30/2025	263,104	110		
1003	Water	Good	06/29/2025	262,994	51		
1003	Water	Good	06/28/2025	262,943	129		
1003	Water	Good	06/27/2025	262,814	118		
1003	Water	Good	06/26/2025	262,696	85		
1003	Water	Good	06/25/2025	262,611	51		
1003	Water	Good	06/24/2025	262,560	53		
1003	Water	Good	06/23/2025	262,507	130		
1003	Water	Good	06/22/2025	262,377	114		
1003	Water	Good	06/21/2025	262,263	62		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	06/20/2025	262,201	138		
1003	Water	Good	06/19/2025	262,063	51		
1003	Water	Good	06/18/2025	262,012	99		
1003	Water	Good	06/17/2025	261,913	126		
1003	Water	Good	06/16/2025	261,787	98		
1003	Water	Good	06/15/2025	261,689	84		
1003	Water	Good	06/14/2025	261,605	67		
1003	Water	Good	06/13/2025	261,538	78		
1003	Water	Good	06/12/2025	261,460	117		
1003	Water	Good	06/11/2025	261,343	83		
1003	Water	Good	06/10/2025	261,260	130		
1003	Water	Good	06/09/2025	261,130	80		
1003	Water	Good	06/08/2025	261,050	109		
1003	Water	Good	06/07/2025	260,941	84		
1003	Water	Good	06/06/2025	260,857	126		
1003	Water	Good	06/05/2025	260,731	61		
1003	Water	Good	06/04/2025	260,670	62		
1003	Water	Good	06/03/2025	260,608	86		
1003	Water	Good	06/02/2025	260,522	80		
1003	Water	Good	06/01/2025	260,442	90		
1003	Water	Good	05/31/2025	260,352	55		
1003	Water	Good	05/30/2025	260,297	58		
1003	Water	Good	05/29/2025	260,239	111		
1003	Water	Good	05/28/2025	260,128	95		
1003	Water	Good	05/27/2025	260,033	50		
1003	Water	Good	05/26/2025	259,983	67		
1003	Water	Good	05/25/2025	259,916	74		
1003	Water	Good	05/24/2025	259,842	124		
1003	Water	Good	05/23/2025	259,718	88		
1003	Water	Good	05/22/2025	259,630	110		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	05/21/2025	259,520	113		
1003	Water	Good	05/20/2025	259,407	94		
1003	Water	Good	05/19/2025	259,313	101		
1003	Water	Good	05/18/2025	259,212	55		
1003	Water	Good	05/17/2025	259,157	130		
1003	Water	Good	05/16/2025	259,027	67		
1003	Water	Good	05/15/2025	258,960	107		
1003	Water	Good	05/14/2025	258,853	102		
1003	Water	Good	05/13/2025	258,751	133		
1003	Water	Good	05/12/2025	258,618	61		
1003	Water	Good	05/11/2025	258,557	94		
1003	Water	Good	05/10/2025	258,463	133		
1003	Water	Good	05/09/2025	258,330	120		
1003	Water	Good	05/08/2025	258,210	137		
1003	Water	Good	05/07/2025	258,073	53		
1003	Water	Good	05/06/2025	258,020	67		
1003	Water	Good	05/05/2025	257,953	130		
1003	Water	Good	05/04/2025	257,823	65		
1003	Water	Good	05/03/2025	257,758	87		
1003	Water	Good	05/02/2025	257,671	95		
1003	Water	Good	05/01/2025	257,576	127		
1003	Water	Good	04/30/2025	257,449	102		
1003	Water	Good	04/29/2025	257,347	58		
1003	Water	Good	04/28/2025	257,289	71		
1003	Water	Good	04/27/2025	257,218	87		
1003	Water	Good	04/26/2025	257,131	100		
1003	Water	Good	04/25/2025	257,031	44		
1003	Water	Good	04/24/2025	256,987	45		
1003	Water	Good	04/23/2025	256,942	105		
1003	Water	Good	04/22/2025	256,837	98		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	04/21/2025	256,739	82		
1003	Water	Good	04/20/2025	256,657	50		
1003	Water	Good	04/19/2025	256,607	120		
1003	Water	Good	04/18/2025	256,487	88		
1003	Water	Good	04/17/2025	256,399	98		
1003	Water	Good	04/16/2025	256,301	54		
1003	Water	Good	04/15/2025	256,247	91		
1003	Water	Good	04/14/2025	256,156	76		
1003	Water	Good	04/13/2025	256,080	83		
1003	Water	Good	04/12/2025	255,997	82		
1003	Water	Good	04/11/2025	255,915	48		
1003	Water	Good	04/10/2025	255,867	72		
1003	Water	Good	04/09/2025	255,795	61		
1003	Water	Good	04/08/2025	255,734	122		
1003	Water	Good	04/07/2025	255,612	79		
1003	Water	Good	04/06/2025	255,533	120		
1003	Water	Good	04/05/2025	255,413	55		
1003	Water	Good	04/04/2025	255,358	103		
1003	Water	Good	04/03/2025	255,255	47		
1003	Water	Good	04/02/2025	255,208	105		
1003	Water	Good	04/01/2025	255,103	97		
1003	Water	Good	03/31/2025	255,006	90		
1003	Water	Good	03/30/2025	254,916	110		
1003	Water	Good	03/29/2025	254,806	118		
1003	Water	Good	03/28/2025	254,688	110		
1003	Water	Good	03/27/2025	254,578	114		
1003	Water	Good	03/26/2025	254,464	93		
1003	Water	Good	03/25/2025	254,371	84		
1003	Water	Good	03/24/2025	254,287	124		
1003	Water	Good	03/23/2025	254,163	73		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	03/22/2025	254,090	132		
1003	Water	Good	03/21/2025	253,958	54		
1003	Water	Good	03/20/2025	253,904	48		
1003	Water	Good	03/19/2025	253,856	110		
1003	Water	Good	03/18/2025	253,746	106		
1003	Water	Good	03/17/2025	253,640	129		
1003	Water	Good	03/16/2025	253,511	108		
1003	Water	Good	03/15/2025	253,403	134		
1003	Water	Good	03/14/2025	253,269	128		
1003	Water	Good	03/13/2025	253,141	105		
1003	Water	Good	03/12/2025	253,036	126		
1003	Water	Good	03/11/2025	252,910	131		
1003	Water	Good	03/10/2025	252,779	57		
1003	Water	Good	03/09/2025	252,722	101		
1003	Water	Good	03/08/2025	252,621	116		
1003	Water	Good	03/07/2025	252,505	94		
1003	Water	Good	03/06/2025	252,411	138		
1003	Water	Good	03/05/2025	252,273	134		
1003	Water	Good	03/04/2025	252,139	91		
1003	Water	Good	03/03/2025	252,048	85		
1003	Water	Good	03/02/2025	251,963	101		
1003	Water	Good	03/01/2025	251,862	83		
1003	Water	Good	02/28/2025	251,779	108		
1003	Water	Good	02/27/2025	251,671	95		
1003	Water	Good	02/26/2025	251,576	114		
1003	Water	Good	02/25/2025	251,462	122		
1003	Water	Good	02/24/2025	251,340	100		
1003	Water	Good	02/23/2025	251,240	96		
1003	Water	Good	02/22/2025	251,144	49		
1003	Water	Good	02/21/2025	251,095	99		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	02/20/2025	250,996	70		
1003	Water	Good	02/19/2025	250,926	106		
1003	Water	Good	02/18/2025	250,820	109		
1003	Water	Good	02/17/2025	250,711	103		
1003	Water	Good	02/16/2025	250,608	119		
1003	Water	Good	02/15/2025	250,489	62		
1003	Water	Good	02/14/2025	250,427	106		
1003	Water	Good	02/13/2025	250,321	74		
1003	Water	Good	02/12/2025	250,247	53		
1003	Water	Good	02/11/2025	250,194	105		
1003	Water	Good	02/10/2025	250,089	88		
1003	Water	Good	02/09/2025	250,001	71		
1003	Water	Good	02/08/2025	249,930	133		
1003	Water	Good	02/07/2025	249,797	68		
1003	Water	Good	02/06/2025	249,729	108		
1003	Water	Good	02/05/2025	249,621	132		
1003	Water	Good	02/04/2025	249,489	112		
1003	Water	Good	02/03/2025	249,377	56		
1003	Water	Good	02/02/2025	249,321	92		
1003	Water	Good	02/01/2025	249,229	109		
1003	Water	Good	01/31/2025	249,120	64		
1003	Water	Good	01/30/2025	249,056	97		
1003	Water	Good	01/29/2025	248,959	49		
1003	Water	Good	01/28/2025	248,910	101		
1003	Water	Good	01/27/2025	248,809	69		
1003	Water	Good	01/26/2025	248,740	61		
1003	Water	Good	01/25/2025	248,679	66		
1003	Water	Good	01/24/2025	248,613	91		
1003	Water	Good	01/23/2025	248,522	53		
1003	Water	Good	01/22/2025	248,469	95		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	01/21/2025	248,374	55		
1003	Water	Good	01/20/2025	248,319	93		
1003	Water	Good	01/19/2025	248,226	45		
1003	Water	Good	01/18/2025	248,181	49		
1003	Water	Good	01/17/2025	248,132	83		
1003	Water	Good	01/16/2025	248,049	54		
1003	Water	Good	01/15/2025	247,995	75		
1003	Water	Good	01/14/2025	247,920	82		
1003	Water	Good	01/13/2025	247,838	80		
1003	Water	Good	01/12/2025	247,758	60		
1003	Water	Good	01/11/2025	247,698	93		
1003	Water	Good	01/10/2025	247,605	67		
1003	Water	Good	01/09/2025	247,538	75		
1003	Water	Good	01/08/2025	247,463	92		
1003	Water	Good	01/07/2025	247,371	50		
1003	Water	Good	01/06/2025	247,321	92		
1003	Water	Good	01/05/2025	247,229	47		
1003	Water	Good	01/04/2025	247,182	93		
1003	Water	Good	01/03/2025	247,089	42		
1003	Water	Good	01/02/2025	247,047	56		
1003	Water	Good	01/01/2025	246,991	50		
1003	Water	Good	12/31/2024	246,941	73		
1003	Water	Good	12/30/2024	246,868	133		
1003	Water	Good	12/29/2024	246,735	87		
1003	Water	Good	12/28/2024	246,648	121		
1003	Water	Good	12/27/2024	246,527	93		
1003	Water	Good	12/26/2024	246,434	99		
1003	Water	Good	12/25/2024	246,335	51		
1003	Water	Good	12/24/2024	246,284	68		
1003	Water	Good	12/23/2024	246,216	73		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	12/22/2024	246,143	128		
1003	Water	Good	12/21/2024	246,015	73		
1003	Water	Good	12/20/2024	245,942	115		
1003	Water	Good	12/19/2024	245,827	103		
1003	Water	Good	12/18/2024	245,724	117		
1003	Water	Good	12/17/2024	245,607	102		
1003	Water	Good	12/16/2024	245,505	71		
1003	Water	Good	12/15/2024	245,434	106		
1003	Water	Good	12/14/2024	245,328	130		
1003	Water	Good	12/13/2024	245,198	125		
1003	Water	Good	12/12/2024	245,073	68		
1003	Water	Good	12/11/2024	245,005	94		
1003	Water	Good	12/10/2024	244,911	101		
1003	Water	Good	12/09/2024	244,810	48		
1003	Water	Good	12/08/2024	244,762	70		
1003	Water	Good	12/07/2024	244,692	109		
1003	Water	Good	12/06/2024	244,583	67		
1003	Water	Good	12/05/2024	244,516	49		
1003	Water	Good	12/04/2024	244,467	125		
1003	Water	Good	12/03/2024	244,342	52		
1003	Water	Good	12/02/2024	244,290	90		
1003	Water	Good	12/01/2024	244,200	136		
1003	Water	Good	11/30/2024	244,064	92		
1003	Water	Good	11/29/2024	243,972	71		
1003	Water	Good	11/28/2024	243,901	98		
1003	Water	Good	11/27/2024	243,803	112		
1003	Water	Good	11/26/2024	243,691	116		
1003	Water	Good	11/25/2024	243,575	53		
1003	Water	Good	11/24/2024	243,522	120		
1003	Water	Good	11/23/2024	243,402	98		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	11/22/2024	243,304	107		
1003	Water	Good	11/21/2024	243,197	59		
1003	Water	Good	11/20/2024	243,138	136		
1003	Water	Good	11/19/2024	243,002	149		
1003	Water	Good	11/18/2024	242,853	144		
1003	Water	Good	11/17/2024	242,709	127		
1003	Water	Good	11/16/2024	242,582	130		
1003	Water	Good	11/15/2024	242,452	116		
1003	Water	Good	11/14/2024	242,336	136		
1003	Water	Good	11/13/2024	242,200	104		
1003	Water	Good	11/12/2024	242,096	124		
1003	Water	Good	11/11/2024	241,972	136		
1003	Water	Good	11/10/2024	241,836	79		
1003	Water	Good	11/09/2024	241,757	77		
1003	Water	Good	11/08/2024	241,680	52		
1003	Water	Good	11/07/2024	241,628	75		
1003	Water	Good	11/06/2024	241,553	119		
1003	Water	Good	11/05/2024	241,434	104		
1003	Water	Good	11/04/2024	241,330	67		
1003	Water	Good	11/03/2024	241,263	129		
1003	Water	Good	11/02/2024	241,134	110		
1003	Water	Good	11/01/2024	241,024	103		
1003	Water	Good	10/31/2024	240,921	51		
1003	Water	Good	10/30/2024	240,870	82		
1003	Water	Good	10/29/2024	240,788	104		
1003	Water	Good	10/28/2024	240,684	91		
1003	Water	Good	10/27/2024	240,593	66		
1003	Water	Good	10/26/2024	240,527	87		
1003	Water	Good	10/25/2024	240,440	45		
1003	Water	Good	10/24/2024	240,395	80		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	10/23/2024	240,315	57		
1003	Water	Good	10/22/2024	240,258	91		
1003	Water	Good	10/21/2024	240,167	71		
1003	Water	Good	10/20/2024	240,096	81		
1003	Water	Good	10/19/2024	240,015	88		
1003	Water	Good	10/18/2024	239,927	44		
1003	Water	Good	10/17/2024	239,883	47		
1003	Water	Good	10/16/2024	239,836	95		
1003	Water	Good	10/15/2024	239,741	100		
1003	Water	Good	10/14/2024	239,641	41		
1003	Water	Good	10/13/2024	239,600	72		
1003	Water	Good	10/12/2024	239,528	67		
1003	Water	Good	10/11/2024	239,461	78		
1003	Water	Good	10/10/2024	239,383	68		
1003	Water	Good	10/09/2024	239,315	47		
1003	Water	Good	10/08/2024	239,268	80		
1003	Water	Good	10/07/2024	239,188	99		
1003	Water	Good	10/06/2024	239,089	94		
1003	Water	Good	10/05/2024	238,995	69		
1003	Water	Good	10/04/2024	238,926	94		
1003	Water	Good	10/03/2024	238,832	98		
1003	Water	Good	10/02/2024	238,734	66		
1003	Water	Good	10/01/2024	238,668	96		
1003	Water	Good	09/30/2024	238,572	94		
1003	Water	Good	09/29/2024	238,478	79		
1003	Water	Good	09/28/2024	238,399	100		
1003	Water	Good	09/27/2024	238,299	64		
1003	Water	Good	09/26/2024	238,235	68		
1003	Water	Good	09/25/2024	238,167	76		
1003	Water	Good	09/24/2024	238,091	77		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	09/23/2024	238,014	82		
1003	Water	Good	09/22/2024	237,932	114		
1003	Water	Good	09/21/2024	237,818	113		
1003	Water	Good	09/20/2024	237,705	143		
1003	Water	Good	09/19/2024	237,562	60		
1003	Water	Good	09/18/2024	237,502	61		
1003	Water	Good	09/17/2024	237,441	116		
1003	Water	Good	09/16/2024	237,325	112		
1003	Water	Good	09/15/2024	237,213	99		
1003	Water	Good	09/14/2024	237,114	121		
1003	Water	Good	09/13/2024	236,993	53		
1003	Water	Good	09/12/2024	236,940	98		
1003	Water	Good	09/11/2024	236,842	129		
1003	Water	Good	09/10/2024	236,713	102		
1003	Water	Good	09/09/2024	236,611	58		
1003	Water	Good	09/08/2024	236,553	72		
1003	Water	Good	09/07/2024	236,481	140		
1003	Water	Good	09/06/2024	236,341	124		
1003	Water	Good	09/05/2024	236,217	127		
1003	Water	Good	09/04/2024	236,090	141		
1003	Water	Good	09/03/2024	235,949	80		
1003	Water	Good	09/02/2024	235,869	110		
1003	Water	Good	09/01/2024	235,759	68		
1003	Water	Good	08/31/2024	235,691	126		
1003	Water	Good	08/30/2024	235,565	134		
1003	Water	Good	08/29/2024	235,431	67		
1003	Water	Good	08/28/2024	235,364	110		
1003	Water	Good	08/27/2024	235,254	117		
1003	Water	Good	08/26/2024	235,137	55		
1003	Water	Good	08/25/2024	235,082	54		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	08/24/2024	235,028	61		
1003	Water	Good	08/23/2024	234,967	77		
1003	Water	Good	08/22/2024	234,890	65		
1003	Water	Good	08/21/2024	234,825	69		
1003	Water	Good	08/20/2024	234,756	46		
1003	Water	Good	08/19/2024	234,710	108		
1003	Water	Good	08/18/2024	234,602	79		
1003	Water	Good	08/17/2024	234,523	112		
1003	Water	Good	08/16/2024	234,411	134		
1003	Water	Good	08/15/2024	234,277	132		
1003	Water	Good	08/14/2024	234,145	92		
1003	Water	Good	08/13/2024	234,053	46		
1003	Water	Good	08/12/2024	234,007	58		
1003	Water	Good	08/11/2024	233,949	124		
1003	Water	Good	08/10/2024	233,825	49		
1003	Water	Good	08/09/2024	233,776	72		
1003	Water	Good	08/08/2024	233,704	105		
1003	Water	Good	08/07/2024	233,599	122		
1003	Water	Good	08/06/2024	233,477	120		
1003	Water	Good	08/05/2024	233,357	82		
1003	Water	Good	08/04/2024	233,275	114		
1003	Water	Good	08/03/2024	233,161	118		
1003	Water	Good	08/02/2024	233,043	119		
1003	Water	Good	08/01/2024	232,924	103		
1003	Water	Good	07/31/2024	232,821	52		
1003	Water	Good	07/30/2024	232,769	73		
1003	Water	Good	07/29/2024	232,696	60		
1003	Water	Good	07/28/2024	232,636	79		
1003	Water	Good	07/27/2024	232,557	53		
1003	Water	Good	07/26/2024	232,504	94		

UNIT	UTILITY	TRANSMITTER STATUS	DATE OF READING	READING	USAGE (GAL)	USAGE ALERTS	ACTION TAKEN
1003	Water	Good	07/25/2024	232,410	74		
1003	Water	Good	07/24/2024	232,336	120		
1003	Water	Good	07/23/2024	232,216	94		
1003	Water	Good	07/22/2024	232,122	126		
1003	Water	Good	07/21/2024	231,996	45		
1003	Water	Good	07/20/2024	231,951	64		
1003	Water	Good	07/19/2024	231,887	89		
1003	Water	Good	07/18/2024	231,798	125		
1003	Water	Good	07/17/2024	231,673	79		
1003	Water	Good	07/16/2024	231,594	108		
1003	Water	Good	07/15/2024	231,486	113		
1003	Water	Good	07/14/2024	231,373	101		
1003	Water	Good	07/13/2024	231,272	120		
1003	Water	Good	07/12/2024	231,152	81		
1003	Water	Good	07/11/2024	231,071	61		
1003	Water	Good	07/10/2024	231,010	62		
1003	Water	Good	07/09/2024	230,948	97		
1003	Water	Good	07/08/2024	230,851	74		
1003	Water	Good	07/07/2024	230,777	111		
1003	Water	Good	07/06/2024	230,666	59		
1003	Water	Good	07/05/2024	230,607	66		
1003	Water	Good	07/04/2024	230,541	66		
1003	Water	Good	07/03/2024	230,475	82		
1003	Water	Good	07/02/2024	230,393	116		
1003	Water	Good	07/01/2024	230,277	112		